#### U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

## **ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008

Expiration Date: July 31, 2015

			SECTI	ION A – PRO	PERTY INFOR	RMATION	FOR INSURANCE COMPANY USE
A1.	A1. Building Owner's Name					Policy Number:	
A2.	Mungo Homes Building Street Address 900 Kingswood Drive	s (including Apt.,	Unit, Suite, and/or B	ldg. No.) or P.C	). Route and Bo	x No.	Company NAIC Number:
	City Richmond Hill			State GA	ZIP (	Code	
A3.	Property Description (L	ot and Block Nu	mbers, Tax Parcel Nu	umber, Legal D	escription, etc.)		anna 4 9)
	Lot 207, Buckhead Eas					-007-207 (SIVIB 668, P	ages 1-2)
	Building Use (e.g., Res Latitude/Longitude: Lat				Residential  ☐ NAD 1927	☑ NAD 1983	
A6.	Attach at least 2 photog	graphs of the bui		e is being used	to obtain flood in	nsurance.	
	Building Diagram Num For a building with a cr		losure(s):		A9. For	r a building with an atta	ached garage:
	<ul><li>a) Square footage of o</li><li>b) Number of permane</li></ul>			N/A sq ft		Square footage of atta	ached garage <u>398</u> sq ft t flood openings in the attached garage
	or enclosure(s) with	nin 1.0 foot above	e adjacent grade	N/A		within 1.0 foot above	adjacent grade <u>0</u>
	<ul><li>c) Total net area of flo</li><li>d) Engineered flood op</li></ul>		A8.b <u>[</u> ∐Yes ⊠ No	<u>N/A</u> sq in		Total net area of flood Engineered flood ope	
		SECT	ION B – FLOOD I	NSURANCE	RATE MAP (F	FIRM) INFORMATIO	DN
	NFIP Community Name Bryan County 1300		lumber	B2. County Na Bryan	me ,		B3. State GA
В4	. Map/Panel Number	B5. Suffix	B6. FIRM Index Da		FIRM Panel	B8. Flood	B9. Base Flood Elevation(s) (Zone
	13029C0295	С	May 5, 2014		ve/Revised Date arch 2, 2009	e Zone(s) AE	AO, use base flood depth) 13.0' + 1.0' Freeboard
B10.	Indicate the source of t						κ.
B11	☐ FIS Profile Indicate elevation datu		☐ Community Dete		☐ Other/Source  NAVD 1988	DATE OF THE PARTY	
	Is the building located Designation Date:	in a Coastal Barr			<del></del> -	<del></del>	Yes No
		SECTIO	N C – BUILDING E	ELEVATION I	NFORMATIO	N (SURVEY REQUI	RED)
*	Building elevations are t A new Elevation Certific	pased on: cate will be requi	Construction Dra	awings* on of the building	☐ Building Uig is complete.	nder Construction*	☑ Finished Construction
* C2. E	A new Elevation Certific	pased on: cate will be requi	Construction Dra	awings* on of the building /30, V (with BF	☐ Building Uig is complete.	nder Construction*	0000000 0000 07 07 00 00 07 00 00
C2. E	A new Elevation Certific Elevations – Zones A1– pelow according to the b Benchmark Utilized: <u>Loc</u>	pased on: cate will be requi A30, AE, AH, A ( puilding diagram cal	Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7.	awings* n of the building /30, V (with BF In Puerto Rico Vertical Datu	☐ Building Ung is complete.  E), AR, AR/A, Alonly, enter meterm:  MAVD 88	nder Construction* R/AE, AR/A1–A30, AR ers.	☑ Finished Construction  //AH, AR/AO. Complete Items C2.a–h
C2. E	A new Elevation Certific Elevations – Zones A1– below according to the b Benchmark Utilized: <u>Loc</u> ndicate elevation datum	pased on: cate will be requi A30, AE, AH, A ( building diagram cal n used for the ele	Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7. evations in items a) th	awings* n of the buildin /30, V (with BF In Puerto Rico Vertical Datu nrough h) below	□ Building Uig is complete. E), AR, AR/A, Al only, enter meterm: MAVD 88 . □ NGVD 192	nder Construction* R/AE, AR/A1–A30, AR ers.	☑ Finished Construction  //AH, AR/AO. Complete Items C2.a–h
C2. E	A new Elevation Certific Elevations – Zones A1–, below according to the below according to	pased on: cate will be requi A30, AE, AH, A ( ouilding diagram cal n used for the ele elevations must	☐ Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7. evations in items a) the be the same as that	awings* on of the building /30, V (with BF) In Puerto Rico Vertical Datu rough h) below used for the BF	☐ Building Ung is complete. E), AR, AR/A, Al only, enter meterm: NAVD 88 . ☐ NGVD 192 EE.	nder Construction* R/AE, AR/A1–A30, AR ers. eg ⊠ NAVD 1988 □ ( Chec	☑ Finished Construction  //AH, AR/AO. Complete Items C2.a–h  Other/Source:
C2. E	A new Elevation Certific Elevations – Zones A1– below according to the below at the below at the below according to the below according t	pased on: cate will be requi A30, AE, AH, A ( building diagram cal used for the ele elevations must	☐ Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7. evations in items a) the be the same as that	awings* on of the building /30, V (with BF) In Puerto Rico Vertical Datu rough h) below used for the BF	☐ Building Ung is complete. E), AR, AR/A, Al only, enter meterm: NAVD 88 . ☐ NGVD 192 E.	nder Construction*  R/AE, AR/A1–A30, AR ers.  9 ⊠ NAVD 1988 □ ( Chec	☐ Finished Construction  I/AH, AR/AO. Complete Items C2.a—h  Other/Source:  Ik the measurement used.  ☐ feet ☐ meters
C2. E	A new Elevation Certific Elevations – Zones A1–, below according to the below according to	pased on: cate will be requi A30, AE, AH, A ( building diagram cal n used for the ele elevations must ncluding baseme r floor	Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7. evations in items a) the bethe same as that ent, crawlspace, or en	awings* on of the building /30, V (with BF) In Puerto Rico Vertical Datu nrough h) below used for the Bf nclosure floor)	□ Building Ung is complete. E), AR, AR/A, Al only, enter meterm: NAVD 88 □ NGVD 192 E.	nder Construction* R/AE, AR/A1–A30, AR ers. eg ⊠ NAVD 1988 □ ( Chec	☑ Finished Construction  //AH, AR/AO. Complete Items C2.a–h  Other/Source:
C2. E	A new Elevation Certific Elevations – Zones A1– celow according to the beachmark Utilized: Loc ndicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher b) Bottom of the lowest b) Attached garage (top	pased on: cate will be requi A30, AE, AH, A ( puilding diagram cal n used for the ele elevations must including baseme r floor horizontal structu of slab)	Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7. evations in items a) the be the same as that ent, crawlspace, or en ural member (V Zones	awings* In of the building  /30, V (with BF) In Puerto Rico Vertical Datu  rough h) below used for the BF  rolosure floor)  s only)	□ Building Uig is complete. E), AR, AR/A, Al only, enter meterm: NAVD 88 . □ NGVD 192 E.	nder Construction*  R/AE, AR/A1–A30, AR ers.  9 ☑ NAVD 1988 ☐ 0  Check  16.8 27.3  N/A.  16.5	☐ Finished Construction  I/AH, AR/AO. Complete Items C2.a–h  Other/Source:  Ek the measurement used.  ☐ feet ☐ meters
C2. E	A new Elevation Certific Elevations – Zones A1– celow according to the beachmark Utilized: Loc ndicate elevation datum Datum used for building a) Top of bottom floor (in to) Top of the next higher bottom of the lowest by Bottom of the lowest by	pased on: cate will be requi A30, AE, AH, A ( puilding diagram cal n used for the ele elevations must ncluding baseme r floor horizontal structu of slab) nachinery or equi	Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7.  evations in items a) the bethe same as that ent, crawlspace, or en ural member (V Zones ipment servicing the b	awings* In of the building  /30, V (with BF) In Puerto Rico Vertical Datu  rough h) below used for the BF  rolosure floor)  s only)	□ Building Uig is complete. E), AR, AR/A, Al only, enter meterm: NAVD 88 . □ NGVD 192 E.	nder Construction* R/AE, AR/A1–A30, AR ers.  9 ☑ NAVD 1988 ☐ 0 Chec 16.8 27.3	☐ Finished Construction  I/AH, AR/AO. Complete Items C2.a—h  Other/Source:  Ek the measurement used.  ☐ feet ☐ meters ☐ feet ☐ meters ☐ feet ☐ meters
C2. E	A new Elevation Certific Elevations – Zones A1– celow according to the beachmark Utilized: Loc ndicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher b) Bottom of the lowest b) Attached garage (top b) Lowest elevation of m (Describe type of equ ) Lowest adjacent (finis	cased on: cate will be requi A30, AE, AH, A ( building diagram cal n used for the ele elevations must including baseme r floor horizontal structu of slab) nachinery or equi ipment and local shed) grade next	Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7.  evations in items a) the bethe same as that ent, crawlspace, or enural member (V Zones) ipment servicing the bitton in Comments) to building (LAG)	awings* In of the building  /30, V (with BF) In Puerto Rico Vertical Datu  rough h) below used for the BF  rolosure floor)  s only)	□ Building Uig is complete. E), AR, AR/A, Al only, enter meterm: NAVD 88 . □ NGVD 192 E.	nder Construction*  R/AE, AR/A1–A30, AR ers.  9 🖾 NAVD 1988 🗀 0  Check 16.8 27.3 N/A 16.5 16.8	Finished Construction  JAH, AR/AO. Complete Items C2.a-h  Other/Source:  k the measurement used.  feet meters
C2. E E E E E E E E E E E E E E E E E E E	A new Elevation Certific Elevations – Zones A1– celow according to the beachmark Utilized: Loc ndicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher b) Bottom of the lowest b) Attached garage (top b) Lowest elevation of m (Describe type of equ	cased on: cate will be requi A30, AE, AH, A ( building diagram cal n used for the ele elevations must including baseme r floor horizontal structu of slab) nachinery or equi ipment and locat shed) grade next shed) grade next	Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7.  evations in items a) the bethe same as that ent, crawlspace, or entural member (V Zones ipment servicing the bitton in Comments) to building (LAG) to building (HAG)	awings* In of the building  /30, V (with BF) In Puerto Rico Vertical Datu Inrough h) below used for the BF Inclosure floor)  s only)  building	□ Building Uig is complete. E), AR, AR/A, Al only, enter meters: M: NAVD 88 . □ NGVD 192 E.	nder Construction*  R/AE, AR/A1–A30, AR ers.  9 🖾 NAVD 1988 🗆 0  Check  16.8 27.3  N/A.  16.5 16.8	☐ Finished Construction  I/AH, AR/AO. Complete Items C2.a–h  Other/Source:  Ik the measurement used.  ☐ feet ☐ meters
C2. E E E E E E E E E E E E E E E E E E E	A new Elevation Certific Elevations – Zones A1–, below according to the policy and the policy according to t	cased on: cate will be requi A30, AE, AH, A ( building diagram cal n used for the ele elevations must including baseme r floor horizontal structu of slab) nachinery or equi ipment and local shed) grade next shed) grade next le at lowest eleval	Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7.  evations in items a) the bethe same as that ent, crawlspace, or enural member (V Zones ipment servicing the bitton in Comments) to building (LAG) ation of deck or stairs.	awings* In of the building (30, V (with BF) In Puerto Rico Vertical Datu Inrough h) below used for the BF Inclosure floor) Is only) Is only	□ Building Uig is complete. E), AR, AR/A, Al only, enter meters: MINGVD 192 E.  Ctural support	nder Construction*  R/AE, AR/A1–A30, AR ers.  9  NAVD 1988	Finished Construction  JAH, AR/AO. Complete Items C2.a-h  Other/Source:  k the measurement used.  feet meters
C2. It	A new Elevation Certific Elevations – Zones A1– celow according to the base and a certific Elevations – Zones A1– celow according to the base and cate elevation datum Datum used for building a) Top of bottom floor (in base) Top of the next higher and the certification of the lowest elevation of materials (Describe type of equal to Lowest adjacent (finite) Lowest adjacent grades certification is to be significations.	cased on: cate will be required. A30, AE, AH, A (ouilding diagram cal nused for the elevations must elevations must elevations must elevation of slab) nachinery or equired. In the cate of slab of sl	Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7.  evations in items a) the bethe same as that ent, crawlspace, or enural member (V Zones ipment servicing the bition in Comments) to building (LAG) to building (HAG) ation of deck or stairs.  DN D – SURVEYOF by a land surveyor, e	awings* on of the building /30, V (with BF) In Puerto Rico Vertical Datu rough h) below used for the BF aclosure floor) s only) building c, including struct R, ENGINEEI engineer, or arc	Building Ung is complete.  E), AR, AR/A, All only, enter meterm: NAVD 88  Discrete NGVD 192  Etural support  R, OR ARCHIT	nder Construction*  R/AE, AR/A1–A30, AR ers.  19 ☑ NAVD 1988 ☐ Chec  16.8 27.3 N/A. 16.5 16.8 16.0 16.3 N/A.  IECT CERTIFICATI  by law to certify eleva	Finished Construction   JAH, AR/AO. Complete Items C2.a—h   Dther/Source:   Sk the measurement used.   Geet
C2. E E E E E E E E E E E E E E E E E E E	A new Elevation Certific Elevations – Zones A1– celow according to the beachmark Utilized: Loc ndicate elevation datum Datum used for building a) Top of bottom floor (ir b) Top of the next higher; Bottom of the lowest by Attached garage (top by Lowest elevation of m (Describe type of equ by Lowest adjacent (finish) Lowest adjacent grad	cased on: cate will be required. A30, AE, AH, A (building diagram cal nused for the elevations must elevations must elevations must encluding basement floor control structured for slab) elevations and local cate at lowest elevations elevation	Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7.  evations in items a) the bethe same as that ent, crawlspace, or enural member (V Zones ipment servicing the bitton in Comments) to building (LAG) to building (HAG) ation of deck or stairs.  DN D – SURVEYOR by a land surveyor, ethis Certificate repres	awings* in of the building /30, V (with BF) In Puerto Rico Vertical Data rough h) below used for the BF inclosure floor) s only) building in, including struct	Building Ung is complete.  E), AR, AR/A, Al only, enter meterm: NAVD 88  Discourse NGVD 192  E.  Stural support  R, OR ARCHITalitect authorized forts to interpre	nder Construction*  R/AE, AR/A1–A30, AR ers.  9 ☑ NAVD 1988 ☐ Check  16.8 27.3  N/A.  16.5 16.8  16.0 16.3  N/A.  FECT CERTIFICATI  by law to certify elevated the data available.	Finished Construction   JAH, AR/AO. Complete Items C2.a—h   Dther/Source:   Sk the measurement used.   Geet
C2. E E E E E E E E E E E E E E E E E E E	A new Elevation Certific Elevations – Zones A1– celow according to the bear and a certificate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher by Bottom of the lowest by Attached garage (top b) Lowest elevation of m (Describe type of equ b) Lowest adjacent (finite) Highest adjacent (finite) Highest adjacent grades certification is to be signation. I certify that the derstand that any false Check here if commen	cased on: cate will be required. A30, AE, AH, A (ouilding diagram cal nused for the elevations must elevations must elevations must elevation achinery or equired. Cashed) grade next elevation grade next elevations extend grade next elevations extended and sealed enformation on a statement may buts are provided output.	Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7.  Evations in items a) the bethe same as that ent, crawlspace, or enural member (V Zones ipment servicing the bitton in Comments) to building (LAG) to building (HAG) ation of deck or stairs.  DN D – SURVEYOF by a land surveyor, ethis Certificate represse punishable by fine on back of form.	awings* on of the building /30, V (with BF) In Puerto Rico Vertical Datu rough h) below used for the BF aclosure floor) s only) building  R, ENGINEEI engineer, or arc sents my best e or imprisonment Were latitude a	Building Ung is complete.  E), AR, AR/A, All only, enter meterm: NAVD 88  Discourse NGVD 192  E.  Stural support  R, OR ARCHIT intect authorized forts to interpretat under 18 U.S. and longitude in	nder Construction*  R/AE, AR/A1–A30, AR ers.  9 ☒ NAVD 1988 ☐ Chec  16.8  27.3  N/A.  16.5  16.0  16.3  N/A.  FECT CERTIFICATI  I by law to certify elevate the data available.  Code, Section 1001.  Section A provided by	Finished Construction  AAH, AR/AO. Complete Items C2.a—h  Other/Source:  k the measurement used.  feet   meters  feet   meters
C2. E E E E E E E E E E E E E E E E E E E	A new Elevation Certific Elevations – Zones A1– celow according to the beachmark Utilized: Loc ndicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher b) Bottom of the lowest b) Attached garage (top b) Lowest elevation of m (Describe type of equ b) Lowest adjacent (finish) Lowest adjacent (finish) Lowest adjacent grades certification is to be signation. I certify that the derstand that any false Check here if commen Check here if attachments.	cased on: cate will be required. A30, AE, AH, A (puilding diagram cal nused for the elevations must elevations must elevations must encluding basement floor chorizontal structured for slab) elevation grade next elevations encountered	Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7.  Evations in items a) the bethe same as that ent, crawlspace, or enural member (V Zones ipment servicing the bitton in Comments) to building (LAG) to building (HAG) ation of deck or stairs.  DN D – SURVEYOF by a land surveyor, ethis Certificate represse punishable by fine on back of form.	awings* in of the building /30, V (with BF) In Puerto Rico Vertical Datu irrough h) below used for the BF inclosure floor) s only) building in, including struct irrough h, including struct irrough h	Building Ung is complete.  E), AR, AR/A, Al only, enter meter meters.  B) NGVD 192  E) NGVD 192  E) Stural support Intect authorized forts to interpresent under 18 U.S. and longitude in surveyor?	nder Construction*  R/AE, AR/A1–A30, AR ers.  PS NAVD 1988	Finished Construction  JAH, AR/AO. Complete Items C2.a—h  Other/Source:  k the measurement used.  feet   meters  feet   meters
C2. E E E E E E E E E E E E E E E E E E E	A new Elevation Certific Elevations – Zones A1– celow according to the basenchmark Utilized: Loc andicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher b) Bottom of the lowest b) Attached garage (top b) Lowest elevation of m (Describe type of equ b) Lowest adjacent (finite) Highest adjacent (finite) Howest adjacent grades are certification is to be signation. I certify that the derstand that any false and Check here if commen Check here if attachmentifier's Name Randall A.	cased on: cate will be required. A30, AE, AH, A (puilding diagram cal nused for the elevations must elevations must elevations must encluding basement floor chorizontal structured for slab) elevation grade next elevations encountered	Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7.  evations in items a) the bethe same as that ent, crawlspace, or enural member (V Zones ipment servicing the bition in Comments) to building (LAG) at to building (HAG) ation of deck or stairs.  DN D – SURVEYOF by a land surveyor, experiments and surveyor, experiments and surveyor on back of form.	awings* on of the building /30, V (with BF) In Puerto Rico Vertical Datu rough h) below used for the BF aclosure floor) s only) building  R, ENGINEEI engineer, or arc sents my best e or imprisonmen Were latitude a licensed land s	Building Ung is complete.  E), AR, AR/A, All only, enter meterm: NAVD 88  BO NGVD 192  ELICATE SUPPORT  ELICATE SUPPORT	nder Construction*  R/AE, AR/A1–A30, AR ers.  9 ☒ NAVD 1988 ☐ Chec  16.8  27.3  N/A.  16.5  16.0  16.3  N/A.  FECT CERTIFICATI  I by law to certify elevate the data available.  Code, Section 1001.  Section A provided by	Finished Construction  AAH, AR/AO. Complete Items C2.a—h  Other/Source:  k the measurement used.  feet   meters  feet   meters
C2. E E E E E E E E E E E E E E E E E E E	A new Elevation Certific Elevations – Zones A1– celow according to the beachmark Utilized: Loc ndicate elevation datum Datum used for building a) Top of bottom floor (in b) Top of the next higher b) Bottom of the lowest b) Attached garage (top b) Lowest elevation of m (Describe type of equ b) Lowest adjacent (finish) Lowest adjacent (finish) Lowest adjacent grades certification is to be signation. I certify that the derstand that any false Check here if commen Check here if attachments.	cased on: cate will be required. A30, AE, AH, A (ouilding diagram cal nused for the elevations must elevations must elevations must elevation achinery or equired. Cashed) grade next shed) grade next elevations elevation or elevation en achinery or equirement and located grade next elevation elev	Construction Dra red when construction (with BFE), VE, V1–V specified in Item A7.  Evations in items a) the bethe same as that ent, crawlspace, or enural member (V Zones ipment servicing the bitton in Comments) to building (LAG) to building (HAG) ation of deck or stairs.  DN D – SURVEYOF by a land surveyor, ethis Certificate represse punishable by fine on back of form.	awings* on of the building /30, V (with BF) In Puerto Rico Vertical Datu rough h) below used for the BF aclosure floor) s only) building  R, ENGINEEI engineer, or arc sents my best e or imprisonmen Were latitude a licensed land s	Building Ung is complete.  E), AR, AR/A, All only, enter meterm: NAVD 88  BY NGVD 192  Etural support  A, OR ARCHIT intect authorized forts to interpresent under 18 U.S. and longitude in surveyor?  License Numb any Inc.	nder Construction*  R/AE, AR/A1–A30, AR ers.  PS NAVD 1988	Finished Construction  JAH, AR/AO. Complete Items C2.a—h  Other/Source:  k the measurement used.  feet   meters  feet   meters

EMA Form 086-0-33 (7/12) See r

See reverse side for continuation.

Replaces all previous editions.

ELEVATION CERTIFICATE, pa	ge 2			
IMPORTANT: In these spaces, co	opy the corresponding information fro	om Section A.	FOR II	NSURANCE COMPANY USE
Building Street Address (including Apt. 900 Kingswood Drive	Unit, Suite, and/or Bldg. No.) or P.O. Route	and Box No.	Policy	Number:
City Richmond Hill	State GA	ZIP Code 31324	Compa	any NAIC Number:
	D – SURVEYOR, ENGINEER, OR ARC		ICATION (CONTIN	UED)
Copy both sides of this Elevation Certif	icate for (1) community official, (2) insurance	agent/company, and	d (3) building owner.	
Section B9: 1' (one foot) Section C2; Benchmark	not require flood vents because floor elevatic freeboard is required by the City of Richmond tilized from Subdivision Map Book 668, Page ation of machinery servicing building is top o	Hill Flood Damage 1-2.	Prevention Ordinanc	e.
Signature	Da	te 9/15	116	
SECTION E - BUILDING ELE	VATION INFORMATION (SURVEY NOT	REQUIRED) FO	R ZONE AO AND	ZONE A (WITHOUT BFE)
<ul> <li>and C. For Items E1–E4, use natural g</li> <li>E1. Provide elevation information for grade (HAG) and the lowest adja a) Top of bottom floor (including b) Top of bottom floor (including b) Top of bottom floor (including E2. For Building Diagrams 6–9 with p (elevation C2.b in the diagrams)</li> <li>E3. Attached garage (top of slab) is</li> <li>E4. Top of platform of machinery and</li> <li>E5. Zone AO only: If no flood depth</li> </ul>	basement, crawlspace, or enclosure) is basement, crawlspace, or enclosure) is bermanent flood openings provided in Section of the building is feet _	sed. In Puerto Rico s to show whether to	only, enter meters. the elevation is above t	or below the highest adjacent  ve or □ below the HAG. ve or □ below the LAG. structions), the next higher floor G.  r □ below the HAG.
	F – PROPERTY OWNER (OR OWNER			TION
The state of the s	red representative who completes Sections A			The AS IN THE RESIDENCE OF THE ASSESSMENT OF THE
	nents in Sections A, B, and E are correct to the			
Property Owner's or Owner's Authorize	d Representative's Name			
Address	City		State	ZIP Code
Signature	Date		Telephone	
Comments				☐ Check here if attachments
	SECTION G - COMMUNITY INFO	STATE OF THE PARTY		
The local official who is authorized by law of this Elevation Certificate. Complete the	or ordinance to administer the community's flo applicable item(s) and sign below. Check the	odplain managemer measurement used	nt ordinance can comp in Items G8–G10. In P	plete Sections A, B, C (or E), and G uerto Rico only, enter meters.
is authorized by law to certify	vas taken from other documentation that has elevation information. (Indicate the source and d Section E for a building located in Zone A (v	d date of the elevat	ion data in the Comm	ents area below.)
	ns G4–G10) is provided for community floodp			ded bi E) of Zone Ao.
G4. Permit Number	G5. Date Permit Issued	G6. Date Ce	ertificate Of Compliano	ce/Occupancy Issued
G7. This permit has been issued for:	☐ New Construction ☐ Substantia	Improvement		
G8. Elevation of as-built lowest floor (in	St. COS. W. MACHINE May Make May		<u> </u>	m m
<ul><li>G9. BFE or (in Zone AO) depth of flood</li><li>G10. Community's design flood elevation</li></ul>				m
Local Official's Name		Title		
Community Name		Telephone		
Signature		Date		
Comments				
				☐ Check here if attachments

# **Building Photographs**

See Instructions for Item A6.

ZIP Code

31324

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

900 Kingswood Drive

City State
Richmond Hill GA


Company NAIC Number:

Policy Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.









#### U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program

FEMA Form 086-0-33 (7/12)

### **ELEVATION CERTIFICATE**

Important: Read the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

AND COMMERCIAL VIOLENCE OF THE COMMERCIAL VIOLEN		important. I	read the mai	ructions	on pag	jes i–s.	Land	mation Bato: July 01, 2010
		SEC	TION A - PRO	PERTY IN	NFORM.	ATION	FOR	INSURANCE COMPANY USE
	Building Owner's Name Mungo Homes				Policy	y Number		
A2. Building Street Addre 900 Kingswood Drive		., Unit, Suite, and/or	r Bldg. No.) or P.	O. Route an	d Box No	).	Comp	pany NAIC Number:
City			State		ZIP Cod	е	- Construction of the Cons	
A3. Property Description (	Richmond Hill  GA 31324  3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Lot 207, Buckhead East, Phase 3A, 20 <sup>th</sup> G.M. District, Bryan County, Georgla, PIN: 061-66-007-207 (SMB 668, Pages 1-2)						-2)	
FORE THE PRINCE WHEN PER VICE	SAV. ARTHUR VAN SKIN						- ages /	
A5. Latitude/Longitude: La	4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) <u>Residential</u> 5. Latitude/Longitude: Lat. <u>31.8768</u> Long. <u>-81.2498</u> Horizontal Datum: ☐ NAD 1927 ☑ NAD 1983							
A6. Attach at least 2 photo A7. Building Diagram Nun	6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.							
A8. For a building with a c	rawispace or end			A9.	For a b	uilding with an att	ached g	arage:
<ul> <li>a) Square footage of</li> <li>b) Number of permar</li> </ul>			N/A sqft			are footage of att		
or enclosure(s) wit	hin 1.0 foot abov	e adjacent grade	<u>N/A</u>		with	in 1.0 foot above	at flood openings in the attached garage adjacent grade 0	
<ul> <li>c) Total net area of fle</li> <li>d) Engineered flood of</li> </ul>		A8.b □ Yes ⊠ No	N/A sq in			al net area of floor ineered flood ope		
Ty Engineered floor	i Bi	TION B - FLOOD	INSURANCE	RATE MA				☐ Yes   No
B1. NFIP Community Name	THE RESERVE TO SERVE THE PARTY OF THE PARTY	***************************************	B2. County Na				B3. St	nto
Bryan County 1300		vumber	Bryan	me			G/	
B4, Map/Panel Number	B5. Suffix	B6. FIRM Index I		FIRM Pane		B8. Flood	В9	Base Flood Elevation(s) (Zone
13029C0295	С	May 5, 2014		ve/Revised l arch 2, 2009		Zone(s) AE		AO, use base flood depth) 13.0' + 1.0' Freeboard
310. Indicate the source of	the Base Flood E	levation (BFE) data	or base flood de	pth entered	in Item I	39.	L	
☐ FIS Profile	A	☐ Community Del		Other/S				
311. Indicate elevation datu				⊠ NAVD 1		Other/Source:		
312. Is the building located Designation Date:	-		☐ CBRS	☐ OP	A	NEW ACTION OF THE PERSON		☐ Yes       No
	SECTIO	N C – BUILDING	ELEVATION I	NFORMAT	TON (SI	JRVEY REQUI	RED)	
<ol> <li>Building elevations are to *A new Elevation Certification</li> </ol>		Construction Dr				Construction*	⊠ F	Finished Construction
	A30, AE, AH, A (	with BFE), VE, V1-	V30, V (with BFE	), AR, AR/A	, AR/AE,	AR/A1-A30, AR	/AH, AR	/AO. Complete Items C2.a-h
Benchmark Utilized: Loc			Vertical Datu					
Indicate elevation datum Datum used for building	elevations must	vations in items a) t be the same as that	nrough h) below. t used for the BF	LI NGVD '	1929 🖾	NAVD 1988 ⊔ (	Other/So	urce:
						Check	k the me	asurement used.
a) Top of bottom floor (in     b) Top of the part bigher		nt, crawispace, or e	nclosure floor)		<u>16.8</u>		⊠ feet	
<ul><li>b) Top of the next higher</li><li>c) Bottom of the lowest h</li></ul>		ral member (V Zone	es only)		27.3 N/A.			
d) Attached garage (top			,,		16.5		⊠ feet	
e) Lowest elevation of m			building		<u>16.8</u>			meters meters
(Describe type of equi f) Lowest adjacent (finis					<u>16.0</u>		⊠ feet	☐ meters
g) Highest adjacent (finis	an efficient contraction efficiency.	TARROLD DEVELOPMENT OF THE ACTION OF			16.3		⊠ feet	
h) Lowest adjacent grade	e at lowest elevat	tion of deck or stairs	, including struct	ural support	<u>N/A.</u>	<u>%</u>	☐ feet	☐ meters
	SECTIO	N D – SURVEYO	R, ENGINEER	OR ARCI	HITECT	CERTIFICATION	NC	
This certification is to be sign information. I certify that the	information on th	nis Certificate repres	ents my best eff	orts to intern	ret the d	ata available.	ion [	
l understand that any false s	tatement may be	punishable by fine	or imprisonment	under 18 U.	S. Code	Section 1001.		(CEOROLL
<ul><li>Check here if comment</li><li>Check here if attachme</li></ul>	and the same of th	1 back of form.	licensed land su	1000	In Section  ✓ Yes	n A provided by a ☐ No		" (\$\frac{1}{2}1
Certifier's Name Randall A. I	Richter			License Nur	nber GA	RLS# 3279		No lave
Title Land Surveyor		Company Name (	Coleman Compar	ny Inc.		_		The superior of
Address 17 Park of Comme	erce, Suite 201	City Savannah		State GA	ZIP Co	de 31405		MACK COLEMP
Signature		Date	, , ,	Telephone	(912)200	)-3041		
leur)		9/15/	16					<u> </u>

See reverse side for continuation.

Replaces all previous editions.

### **BUILDING PHOTOGRAPHS**

**ELEVATION CERTIFICATE**, page 4

See instructions for Item A6.

OMB Control Number: 1660-0008 Expiration: 11/30/2018

Number:

IMPORTANT: In these spaces, copy	the corresponding information from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apl 422 Sunbury Drive	, Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No.	Policy Number:
City Richmond Hill	State Zip Code GA 31324	Company NAIC

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front view" and Rear view"; and, if required, "Right Side View" and "Left Side View."

When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Front View



Rear View

### **ELEVATION CERTIFICATE, page 3**

## **Building Photographs**

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.

FOR INSURANCE COMPANY USE

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.

900 Kingswood Drive

City Richmond Hill

State

ZIP Code 31324 Company NAIC Number

Policy Number:

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.







