U.S. DEPARTMENT OF HOMELAND SECURITY

## **ELEVATION CERTIFICATE**

OMB No. 1660-0008

Vational Flood Insurance Program Important: Read the instructions on pages 1–9.						Expira	Expiration Date: July 31, 2015	
SECTION A – PROPERTY INFORMATION						FOR IN	SURANCE COMPANY USE	
A1. Building Owner's Name Ashley L. Bashlor							Policy N	umber:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 39 Sayle Court							Compar	ny NAIC Number:
City Richmond Hill				State GA	ZIP Code	e 31324		
A3. Property Description (L Lot 23 Sayles Landing	ot and Block Nu	mbers, Tax Parcel	Number	, Legal Desc	ription, etc.)			
A4. Building Use (e.g., Res A5. Latitude/Longitude: Lat A6. Attach at least 2 photo A7. Building Diagram Num A8. For a building with a cr a) Square footage of c b) Number of permanor enclosure(s) with c) Total net area of flo d) Engineered flood o	t. 31.836045 Lo graphs of the bui lber 1B rawlspace or enc crawlspace or en lent flood opening hin 1.0 foot above bod openings in P	ong. <u>81.259486</u> Ho dilding if the Certifica closure(s): nclosure(s) gs in the crawlspace e adjacent grade	orizonta ate is be <u>N/A</u>	il Datum: 🔲	NAD 1927 obtain flood ir A9. For a) b)	nsurance.  r a building with an a Square footage of a Number of permane within 1.0 foot abov Total net area of flo	attached gar ent flood op e adjacent o od opening	rage <u>560</u> sq ft enings in the attached garage grade <u>None</u>
	·	TION B - FLOOT	) INSU	RANCE R/	ATE MAP (F	FIRM) INFORMAT	ION	
B1. NFIP Community Name & Community Number				B2. County Name Bryan (unincorporated)			B3. State GA	
B4. Map/Panel Number 13029C0375	B5. Suffix C	B6. FIRM Index 5/5/2014	Date	Effective/	IRM Panel Revised Date 2/2009	e B8. Flood Zone(s) AE		Base Flood Elevation(s) (Zone AO, use base flood depth) 12.0
☐ FIS Profile  311. Indicate elevation datu  312. Is the building located Designation Date:	in a Coastal Barı 	rier Resources Syst	SVD 192 stem (CE	29 ⊠ BRS) area or CBRS	☐ OPA	B ☐ Other/Source Protected Area (OPA)	)?	☐ Yes       No
	SECTIO	N C – BUILDING	ELE\	/ATION INF	ORMATIO	N (SURVEY REQ	UIRED)	
c1. Building elevations are  *A new Elevation Certifical  C2. Elevations – Zones A1- below according to the lighter Benchmark Utilized: BR Indicate elevation daturn Datum used for building  a) Top of bottom floor (iiii) Top of the next higher c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of re (Describe type of equipal for the lowest adjacent (fining) Highest adjacent grades.	icate will be requi- A30, AE, AH, A building diagram 80551 m used for the eleg elevations must including baseme er floor horizontal structo of slab) machinery or equuipment and loca ished) grade next ished) grade next ished) grade next	(with BFE), VE, V1- specified in Item A evations in items a) t be the same as the ent, crawlspace, or tural member (V Zor sipment servicing the ation in Comments) t to building (LAG) kt to building (HAG)	tion of the Avian Control of t	he building is / (with BFE), perto Rico onl etical Datum: h h) below. If for the BFE. ure floor)  y)	s complete. AR, AR/A, Ally, enter mete NAVD 1988 NGVD 192	ers. <u>3</u> 29 ⊠ NAVD 1988 ⊡	AR/AH, AR/	inished Construction  AO. Complete Items C2.a-h  urce: assurement used.
	SECTI	ON D - SURVEY	OR, E	NGINEER,	OR ARCHI	TECT CERTIFICA	TION	
This certification is to be signiformation. I certify that the I understand that any false Check here if commer Check here if attachm  Certifier's Name David A. E	ne information on a statement may b nts are provided on ments.	this Certificate repr be punishable by fin on back of form.	resents ne or im Were licen	my best effor aprisonment use latitude and ased land surv	rts to interpre under 18 U.S. d longitude in veyor?	at the data available Code, Section 100 . Section A provided  ☑ Yes ☐ No	1.	GEORGIA GEGIOPE PURE 11/5/15/25
Title President		Company Name	South	east Georgia	ı Surveying, I	r <sup>o</sup> C		The summer of the



ZIP Code 31324

State GA

Telephone 912 756-2211

City Richmond Hill

Date 11/5/15

Address 518 Edsel Drive, Suite D

Signature

MPORTANT: In these spaces, copy the corresponding information for Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route By Sayle Court  State GA  SECTION D — SURVEYOR, ENGINEER, OR ARC Copy both sides of this Elevation Certificate for (1) community official, (2) insurance Comments Job #15-30 Lot 23 Sayles Landing Latitude and Longitude were obtained to unit located at the rear of house  SECTION E — BUILDING ELEVATION INFORMATION (SURVEY NO For Zones AO and A (without BFE), complete Items E1—E5. If the Certificate is intelled and C. For Items E1—E4, use natural grade, if available. Check the measurement used. Provide elevation information for the following and check the appropriate boxed grade (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawispace, or enclosure) is b) Top of bottom floor (including basement, crawispace, or enclosure) is celevation C2.b in the diagrams) of the building is feet feet	and Box No.  ZIP Code 31324  CHITECT CERTIFICATI  agent/company, and (3) be alined from Google Earth. The state 11/5/15  TREQUIRED) FOR ZO and to support a LOMA or sed. In Puerto Rico only, eles to show whether the election of the state of	Con ON (CONT Lilding owner The lowest set  NE AO AN LOMR-Free Iter meters. The laboration is aborated aborates.	ervicing equipment for C2e is an
SECTION D — SURVEYOR, ENGINEER, OR ARC Copy both sides of this Elevation Certificate for (1) community official, (2) insurance Comments Job #15-30 Lot 23 Sayles Landing Latitude and Longitude were obta LC unit located at the rear of house  SECTION E — BUILDING ELEVATION INFORMATION (SURVEY NO For Zones AO and A (without BFE), complete Items E1—E5. If the Certificate is inte and C. For Items E1—E4, use natural grade, if available. Check the measurement u E1. Provide elevation information for the following and check the appropriate boxe grade (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is b) Top of bottom floor (including basement, crawlspace, or enclosure) is E2. For Building Diagrams 6–9 with permanent flood openings provided in Section (elevation C2.b in the diagrams) of the building is feet	chitect certification agent/company, and (3) be agent/company, and (3) be alined from Google Earth. The ate 11/5/15  Transport a LOMA or used. In Puerto Rico only, eless to show whether the election in the company of	ON (CONT  Lilding owner  The lowest set  NE AO AN  LOMR-Free  Iter meters.  ation is abore  eters.  abore  aters.  abore  aters.  abore	FINUED)  Pr.  ervicing equipment for C2e is an   ID ZONE A (WITHOUT BFE)  equest, complete Sections A, B,   eve or below the highest adjacent  prove or D below the HAG.
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance Comments Job #15-30 Lot 23 Sayles Landing Latitude and Longitude were obtained to continuous Latitude and Longitude and Longitude and Longitude and Longitude Received Latitude and Longitude and Longitude Received Latitude and Longitude Received Latitude and Longitude Received Latitude and Longitude Received Latitude and Long	agent/company, and (3) be alined from Google Earth. The state 11/5/15  T REQUIRED) FOR ZO anded to support a LOMA or ised. In Puerto Rico only, eles to show whether the elevent feet feet feet feet feet feet feet f	NE AO AN LOMR-Free ter meters. ation is aboreters  eters aboreters	ervicing equipment for C2e is an
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance Comments Job #15-30 Lot 23 Sayles Landing Latitude and Longitude were obtained to continuous Latitude and Longitude and Longitude and Longitude and Longitude Received Latitude and Longitude and Longitude Received Latitude and Longitude Received Latitude and Longitude Received Latitude and Longitude Received Latitude and Long	agent/company, and (3) be alined from Google Earth. The state 11/5/15  T REQUIRED) FOR ZO anded to support a LOMA or ised. In Puerto Rico only, eles to show whether the elevent feet feet feet feet feet feet feet f	NE AO AN LOMR-Free ter meters. ation is aboreters  eters aboreters	ervicing equipment for C2e is an
Signature  Section E – Building Elevation Information (Survey Notate and C. For Items E1–E4, use natural grade, if available. Check the measurement upon of the following and check the appropriate boxed grade (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is b) Top of bottom floor (including basement, crawlspace, or enclosure) is celevation C2.b in the diagrams) of the building is feet [  1. Provide elevation information for the following and check the appropriate boxed grade (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is b) Top of bottom floor (including basement flood openings provided in Section (elevation C2.b in the diagrams) of the building is feet [  1. Provide elevation information for the following and check the appropriate boxed grade (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is for Building Diagrams 6–9 with permanent flood openings provided in Section (elevation C2.b in the diagrams) of the building is feet [  1. Provide elevation information for the following and check the appropriate boxed grade (HAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is	ate 11/5/15  T REQUIRED) FOR ZO  Inded to support a LOMA or used. In Puerto Rico only, et es to show whether the election in the control of t	NE AO AN  LOMR-Freeter meters.  ation is aboreters  eters  at ab	ID ZONE A (WITHOUT BFE)  Equest, complete Sections A, B,  eve or below the highest adjacent  cove or D below the HAG.
SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NO  For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is inte and C. For Items E1–E4, use natural grade, if available. Check the measurement u  E1. Provide elevation information for the following and check the appropriate boxe grade (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is b) Top of bottom floor (including basement, crawlspace, or enclosure) is  E2. For Building Diagrams 6–9 with permanent flood openings provided in Section (elevation C2.b in the diagrams) of the building is	nded to support a LOMA or ised. In Puerto Rico only, eles to show whether the elections and the set of the feet in the feet in the level of the set of the	LOMR-Frenter meters. ation is aboreters  aters aboreters	equest, complete Sections A, B,  eve or below the highest adjacent  pove or D below the IAG.
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is inte and C. For Items E1–E4, use natural grade, if available. Check the measurement u E1. Provide elevation information for the following and check the appropriate boxe grade (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is b) Top of bottom floor (including basement, crawlspace, or enclosure) is For Building Diagrams 6–9 with permanent flood openings provided in Section (elevation C2.b in the diagrams) of the building is	nded to support a LOMA or ised. In Puerto Rico only, eres to show whether the election of the control of the co	LOMR-Frenter meters. ation is aboreters  aters aboreters	equest, complete Sections A, B,  eve or below the highest adjacent  pove or D below the IAG.
For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is inte and C. For Items E1–E4, use natural grade, if available. Check the measurement u E1. Provide elevation information for the following and check the appropriate boxe grade (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is b) Top of bottom floor (including basement, crawlspace, or enclosure) is For Building Diagrams 6–9 with permanent flood openings provided in Section (elevation C2.b in the diagrams) of the building is	nded to support a LOMA or ised. In Puerto Rico only, eres to show whether the election of the control of the co	LOMR-Frenter meters. ation is aboreters  aters aboreters	equest, complete Sections A, B,  eve or below the highest adjacent  pove or D below the IAG.
E1. Provide elevation information for the following and check the measurement use and check the appropriate boxed grade (HAG) and the lowest adjacent grade (LAG).  a) Top of bottom floor (including basement, crawlspace, or enclosure) is b) Top of bottom floor (including basement, crawlspace, or enclosure) is provided in Section (elevation C2.b in the diagrams) of the building is feet [	es to show whether the eleventers to show whether the eleventers to show whether the eleventers to show what is the show that	nter meters. ation is abo eters □ ab eters □ ab	ove or Delow the highest adjacent
<ul> <li>Provide elevation information for the following and check the appropriate boxe grade (HAG) and the lowest adjacent grade (LAG).</li> <li>a) Top of bottom floor (including basement, crawlspace, or enclosure) is</li> <li>b) Top of bottom floor (including basement, crawlspace, or enclosure) is</li> <li>For Building Diagrams 6–9 with permanent flood openings provided in Section (elevation C2.b in the diagrams) of the building is</li> </ul>	es to show whether the eleventes to show the eleventes the eleventes to show the eleventes the e	ation is aboreters  ab	pove or ☐ below the HAG.
a) Top of bottom floor (including basement, crawlspace, or enclosure) is b) Top of bottom floor (including basement, crawlspace, or enclosure) is  For Building Diagrams 6–9 with permanent flood openings provided in Section (elevation C2.b in the diagrams) of the building is		eters ∏ab	ove or D below the LAG
<ol> <li>For Building Diagrams 6–9 with permanent flood openings provided in Section (elevation C2.b in the diagrams) of the building is</li></ol>	n A Items 8 and/or 9 (see p	eters 🗌 ab	pove or D below the LAG.
(elevation C2.b in the diagrams) of the building is [] feet [	Imeters Dahovo or Di		Implementation of the control of the
:J. Attached garage (top of slab) is . Il feet l'1l meters □ ai	Titlerela	pelow the HA	AG.
4. Top of platform of machinery and/or equipment servicing the building is	bove or ☐ below the HAG	o □ obovo	or [] below the 1180
<ol><li>Zone AO only: If no flood depth number is available, is the top of the bottom if</li></ol>	floor elevated in accordance	s ∟ above with the co	or LI below the HAG.
ordinance? ☐ Yes ☐ No ☐ Unknown. The local official must certify this	s information in Section G.		
SECTION F - PROPERTY OWNER (OR OWNER	S'S REPRESENTATIVE	CERTIFIC	CATION
he property owner or owner's authorized representative who completes Sections A r Zone AO must sign here. The statements in Sections A, B, and E are correct to tr	A, B, and E for Zone A (with ne best of my knowledge.	out a FEMA-	-issued or community-issued BFE)
roperty Owner's or Owner's Authorized Representative's Name			
ddress City		State	ZIP Code
ignature Date		Telephone	No.
omments			
			_
			Check here if attachments
SECTION G – COMMUNITY INFO			
e local official who is authorized by law or ordinance to administer the community's flo his Elevation Certificate. Complete the applicable item(s) and sign below. Check the r	oodplain management ordina measurement used in Items	nce can con G8–G10. In	nplete Sections A, B, C (or E), and G Puerto Rico only, enter meters.
The information in Section C was taken from other documentation that has is authorized by law to certify elevation information. (Indicate the source an	been signed and sealed by	a licensed s	surveyor engineer or architect who
A community official completed Section E for a building located in Zone A (v			sued BFE) or Zone AO.
The following information (Items G4-G10) is provided for community floodpl	lain management purposes		
4. Permit Number G5. Date Permit Issued	G6. Date Certificate	Of Complian	nce/Occupancy Issued
This permit has been issued for: New Construction Substantial	Improvement		
Elevation of as-built lowest floor (including basement) of the building:		s Dat	tum
BFE or (in Zone AO) depth of flooding at the building site:	🗌 feet 🔲 mete		tum
). Community's design flood elevation:	🔲 feet 🔲 meter	s Dati	um

Telephone

Check here if attachments.

Date

Community Name

Signature

Comments

## **ELEVATION CERTIFICATE**, page 3

## **Building Photographs**

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the correspond	FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or 39 Sayle Court	Bldg. No.) or P.O. Route and Box No.	Policy Number:	
City Richmond Hill	State GA ZIP Code 31324	Company NAIC Number:	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

## Front View



